

Table of Contents

INTRODUCTION

A. N. Palmer 1

CONCEPTUAL MODELS 10

Conceptual models for karstic aquifers

W. B. White 11

Perspectives in karst hydrogeology and cavern genesis

D. C. Ford 17

A comprehensive strategy for understanding flow in carbonate aquifers

S. R. H. Worthington 30

Structural effects on carbonate aquifers

I. D. Sasowsky 38

The surface-subsurface interface and the influence of geologic structure in karst

E. H. Kastning 43

A conceptual view of carbonate island karst

J. E. Mylroie and H. L. Vacher 48

Toward a suitable conceptual model of the northern Guam lens aquifer

J. W. Jenson 58

A model of karst drainage basin evolution, Interior Low Plateaus, USA

J. A. Ray 58

Origin and attributes of paleocave carbonate reservoirs

R. G. Loucks 59

From a conceptual model of karst hydrological systems to water-vulnerability mapping

P. -Y. Jeannin, F. Zwahlen, and N. Doerfliger 65

ANALYTICAL MODELS 70

Patterns of dissolution porosity in carbonate rocks

A. N. Palmer 71

Karstic permeability: organized flow pathways created by circulation

P. W. Huntoon 79

Interpreting flow using permeability at multiple scales

T. Halihan, J. M. Sharp, Jr., and R. E. Mace 82

Linear systems approach to modeling groundwater flow and solute transport through karstic basins

C. M. Wicks and J. A. Hoke 97

Toward understanding transport in the Floridan karst

D. Loper 102

DIGITAL MODELS 105

Dynamics of the early evolution of karst

W. Dreybrodt, F. Gabrovšek, and J. Siemers 106

Potential influence of aperture variability on the dissolutional enlargement of fissures

H. Rajaram, W. Cheung, and B. Hanna 120

Enhancement of early karstification by subterranean sources of carbon dioxide

F. Gabrovšek and W. Dreybrodt 131

The initiation of hypogene caves in fractured limestone by rising thermal water:

investigation of a parallel series of competing fractures

K. A. Dumont, H. Rajaram, and D. A. Budd 132

On predicting contaminant transport in carbonate terrains: Behavior and prediction

W. K. Annable and E. A. Sudicky 133

Subsidiary conduit systems: A hiatus in aquifer monitoring and modeling	
<i>C. C. Smart</i>	146
Solutionally enhanced leakage rates of dams in karst regions	
<i>S. Bauer, S. Birk, R. Liedl, M. Sauter</i>	158
Quantitative analysis of tracer breakthrough curves from tracing tests in karst aquifers	
<i>M. S. Field</i>	163
Nonequilibrium solute-transport modeling in karst aquifers	
<i>M. S. Field</i>	172
Modeling breakthrough curves of tracing experiments in a karst environment	
<i>P. -Y. Jeannin, M. Hauns, and O. Atteia</i>	173
Hydrologic insights from a finite-element model of the Yigo-Tumon sub-basin, northern Guam lens aquifer	
<i>J. M. U. Jocson, J. W. Jenson and D. N. Contractor</i>	174
Simulated effect of a karstic vadose zone above the northern Guam lens on well-water levels	
<i>D. N. Contractor and J. W. Jenson</i>	175
SCALE MODELS	176
Bench-scale karst models	
<i>L. J. Florea and C. M. Wicks</i>	177
STATISTICAL MODELS	182
Entranceless and fractal caves revisited	
<i>R. L. Curl</i>	183
Fractal characteristics of conduit systems	
<i>W. D. Howcroft and J. W. Hess</i>	186
Volumetric fractal dimension as a quantitative descriptor for saturated cave morphology	
<i>T. R. Kincaid</i>	186
A statistical evaluation of the structural influence on solution-conduit patterns	
<i>A. N. Palmer</i>	187
ACQUISITION AND APPLICATION OF FIELD DATA	196
Bridging the gap between real and mathematically simulated karst aquifers	
<i>C. Groves, J. Meiman, and A. D. Howard</i>	197
The development of basin-scale conceptual models of the active-flow conduit system	
<i>J. Meiman and M. T. Ryan</i>	203
Role of cave information in environmental site characterization	
<i>M. Jancin</i>	213
Variation of karstic permeability between unconfined and confined aquifers, Grand Canyon region, Arizona	
<i>P. W. Huntoon</i>	222
Anisotropy in carbonate aquifers	
<i>A. N. Palmer</i>	223
Modern dye-tracing data as fundamental input for karst modeling	
<i>T. Aley</i>	228
On the importance of stock dye concentrations for accurate preparation of calibration standards	
<i>M. S. Field</i>	229
Delineation of source-protection zones for carbonate springs in the Bear River Range, northeastern Utah	
<i>L. E. Spangler</i>	230
Geochemical and isotopic evidence for multiple residence times in the same aquifer	
<i>E. C. Alexander, Jr., S. C. Alexander, S. R. Grow, B. J. Wheeler, R. A. Jameson, L. Guo, and D. H. Doctor</i>	233
Mass balance as a tool for the modeling of mixing zones at karst springs, using Manitou Springs And Cave of the Winds, Colorado, as an example	
<i>F. Luiszer</i>	235
Geochemistry of the springs of Missouri	
<i>C. M. Wicks</i>	235

Temperature as a natural tracer of short residence times for groundwater in karst aquifers <i>J. B. Martin and R. W. Dean</i>	236
Using temperature variation at springs to characterize flow in carbonate aquifers <i>G. J. Davies and S. W. Jones</i>	243
Delineation and characterization of the groundwater basins of four cave systems of southwestern Illinois' sinkhole plain <i>S. V. Panno and C. P. Weibel</i>	244
Karst inventory of the northern Guam lens aquifer <i>D. Taborosi</i>	244
The Kentucky karst atlas: a cooperative project by Kentucky Division of Water and Kentucky Geological Survey <i>J. A. Ray</i>	245
How did the Fiborn karst form in only 5000 years? <i>R. L. Curl</i>	245
The Hydrogeology Consortium <i>D. Loper</i>	246
The Savoy Experimental Watershed -- early lessons for hydrogeologic modeling from a well-characterized karst research site <i>J. V. Brahana, P. D. Hays, T. M. Kresse, T. J. Sauer, and G. P. Stanton</i>	247
Methodology to study the effects of animal production in mantled karst aquifers of the southern Ozarks <i>J. Funkhouser, P. Little, J. V. Brahana, T. Kresse, M. Anderson, S. Formica and T. Huetter</i>	255
Pump tests of wells at the National Training Center near Shepherdstown, West Virginia <i>W. K. Jones</i>	259
FIELD TRIP TO ENDLESS CAVERNS, NEW MARKET, VIRGINIA <i>W. K. Jones</i>	262
AUTHOR INDEX	265